



MEAT PROCESSING

Viking Bandsaws V500, V700 & V800 Models



V700 Pictured

Viking Bandsaws are very simple to clean and maintain with easy access, our range caters for both low and high throughput.

Unique to Viking Bandsaws are the recessed doors and flat-mounted wheel, which will prevent debris build up - making cleaning easier and no recess under the table for cuts or dust to hide for a thorough clean.



Technical Specifications

Model	V500	V700	V800
Cutting Space (W x H)	280 x 350mm	370 x 420mm	420 x 480mm
Blade Speed	1400 meters/min	1900 meters/min	2100 meters/min
Blade Length	2500mm	3155mm	3500mm
External Dimensions (W x L x H)	740 x 780 x 1780mm	1020 x 960 x 1890mm	1080 x 950 x 2030mm
Cutting Capacity (H x W)	350 x 275mm	420 x 375mm	480 x 425mm
Break Motor	2.2kW	3kW	4kW
	415V / 10A		
Pulleys	300mmØ	400mmØ	450mmØ
	Stainless Steel, double rim		
Blade Reorder Code (Box of 10)	SKU: 301000	SKU: 301002	SKU: 301003



Modifications made to the machine at time of purchase may change the technical specifications.




Features




5mm Thick Table



Blade Scraper Deflector



Twin Table Guides



Safety Swing Push Guard