


# Viking Nexus 245 AU Chop Cutter



For slicing fresh, frozen and cooked products like beef, veal, pork loins and other bone-in and boneless products like cheese in equal thickness. Cutting thickness can be adjusted also during operation from 1 to approximately 40 mm. Slicing mode can be selected. The product advances step by step with normal mode or continuously for extra thin slicing mode.

## Standard Specifications



|   |        |
|---|--------|
| A | 2200mm |
| B | 910mm  |
| C | 1330mm |
| D | 1160mm |
| E | 910mm  |
| F | 660mm  |

|                      |                   |  |           |
|----------------------|-------------------|--|-----------|
| Overall Dimensions   | 2200 x 910 x 1330 | Power Installed  | 5kW       |
| Machine Weight       | 380kg             | Elect. Dev. Insulation   | 67 IP     |
| Dimension Max.       | 240 x 260mm       | External Machine Insulation  | 55 IP     |
| Length Max.          | 910mm             | Noise  | <72       |
| Slicing Speed        | 190 cuts / min    | (EN 3744)  | 81 dB (A) |
| Min. Slice Thickness | 1mm               | Noise values were detected with the machine functioning at idle because it is thought to be worse in as much that the absence of product does not lubricate the blade. |           |
| Max. Slice Thickness | 45mm              |  |           |



Watch Video

