



MEAT PROCESSING

Scotnet Autoloader



Effortless loading for all nets and casings


The Scotnet Autoloader is a pneumatic operated net loader used to load meat netting onto netting tubes before being used in conjunction with the Scotnet Automation Range.

An average net will take up to 3.5 minutes on the 600mm model.

This model is for tubes that are 600mm long, and between 100mm and 200mm in diameter.



Net Loading Simplified



Netting Rolls

The Scotnet and Casings Auto Loader accommodates standard netting rolls, offering fast, reliable application for highthroughput production. Quick-load functionality keeps changeovers minimal and operations running smoothly.




Super Bobbins

Compatible with super bobbins for extended run times and reduced handling. This format minimises downtime and maximises output between reloads.




Collagen/Fibrous/Plastic

Built to manage flexible casing formats with the same speed and accuracy, the loader ensures smooth feeding and reduced waste — supporting clean, consistent stuffing across a wide range of product types.



Multidiameter Head

The multidiameter head adapts to a wide range of tube sizes without adjustment. Perfect for agile, multi-SKU production lines.



Quick Change Head System

The quick-change head system enables engineers to change the head in minutes. Reducing maintenance and downtime to a minimum.



Recessed Controls

Designed with hygiene and safety in mind, the recessed control panel protects key functions from moisture, debris, and accidental activation — ensuring reliable operation and easy cleaning in demanding food production environments.

SNL 300/460/600/700




The Scotnet Auto Net Loader is a highspeed netting system designed to optimise throughput, reduce manual handling, and improve overall packaging efficiency.


Built with flexibility in mind, it supports a wide range of product sizes and netting formats, making it ideal for processors handling varied SKUs and demanding output schedules.

- **No Electrification:** Operates entirely on compressed air.
- **Multi Tube System:** Spring-loaded fingers auto-adjust to different tube diameters.
- **Fast & Easy Tube Locking:** Camlocks ensure quick changes, even with wet hands.
- **Models for Every Tube Length:** Options available for 300mm to 700mm tubes.

SNL 300




Manual





Dimensions



Speed
>20 - 40 metres every 5 mins.



Weight
90kg



Pneumatic
80-102 PSI (5.5 - 7 BAR.)
Consumption approx 1415 litres per minute.

Modifications made to the machine at time of purchase may change the technical specifications.

Key Features



Heavy duty stainless steel design.



Spring loaded fingers, no adjustment required for different tubes.




Fully enclosed stainless steel cabinet, no food or bug traps.



Small footprint.



Key Features



3 position Reset, Off, On Switch with Automatic Stop.



CE approved gaps on all moving parts, no trap points on machine.



Quick release cam lock without tooling.



Adjustable feet for uneven floors.

Loading Time	up to 3.5 minutes on 600mm model	Dimensions (L x W x D)	1450 x 615 x 466.5mm
Weight	90kg	Compressed Air	80 psi / 6 bar

The Scotnet Automation Autoloader has proven itself to be the most reliable and robust loader in many years. By combining the finest pneumatics, with a robust all stainless steel construction, this autoloader provides maximum loading efficiency with minimum operator intervention.

Versatile

Automatically load all elastic nets onto 700mm long tubes, from Ø100 - 200mm

Robust

Built entirely from stainless steel, designed for the toughest environments

High Speed Change Parts

Entire finger head removes in under a minute, maximising usage

Hygienic

Open bottom cabinet and fully welded design ensures easy cleaning and ultimate in hygiene

Pneumatics

All pneumatics manufactured by FESTO and all spare parts available directly from Viking

Automatic Stop

Once tubs are full of net, the Autoloader stops automatically, reducing user intervention and preventing excess wear on the loading fingers and spring

Loading Options

Designed to load net from all sources, including rolls, superbobbins and sacks

Camlocks

The netting tubes are secured by camlocks, making removal easy, even with wet hands





Viking Food Solutions

Victoria

35 Shirley Way, Epping 3076 VIC

New South Wales

9 Mcilwraith Street, Wetherill Park 2164 NSW

Western Australia

21 Hoyle Road, Hope Valley 6165 WA

Queensland

27 Beal Street, Meadowbrook 4131 QLD

1300 88 99 51

vikingfoodsolutions.com.au

hello@vikingfoodsolutions.com.au

