



MEAT PROCESSING

# Viking 3-Wheel 8000 Bandsaw



The new Viking 3 Wheel 8000 Bandsaw is a proven heavy duty machine, designed with special robustness for large processing facilities in the meat & fish industries for easy operation procedures.

Unique to Viking Bandsaws are the recessed doors and flat-mounted wheel, which will prevent debris build up - making cleaning easier and no recess under the table for cuts or dust to hide for a thorough clean.



## Standard Technical Specifications

|                                 |                                       |
|---------------------------------|---------------------------------------|
| Model                           | 8000                                  |
| Cutting Space (W x H)           | 800 x 600mm                           |
| Blade Length                    | 4440mm                                |
| External Dimensions (W x L x H) | 2071 x 750 x 2205mm                   |
| Power                           | 400V 3 Phase                          |
| Pulleys                         | 400mmØ<br>Stainless Steel, double rim |


- Robust 18/10 stainless steel construction
- Stainless steel pulleys 400Ø with double flap
- Automatic process of tension control
- Safety brake to stop the blade under 4 seconds
- On-off switch with emergency stop button, IP69
- Safety device when opening door
- No volt release system
- Detachable cleaners for easy cleaning, without the use of tools
- Easy cleaning with pressure water
- Manufacturing of table on the right or left hand side

Modifications made to the machine at time of purchase may change the technical specifications.





## Measurements



## Rollers Options

Option 1: All rollers in the same direction

Option 2: Rollers in two different direction

