VIKING
FOOD SOLUTIONS

SPRAYING TUNNEL

VS 860



VS 860

VS 860 Automatic Spray Tunnel for constant in line product flow.

Your Benefits

- Constructed of corrosion-resistant stainless steel.
- Completely insulated.
- Heating: electric and/or steam
- Touch screen, 20 programs.
- Integrated Intralox conveyor belt for safe product transfer.
- Speed of the conveyor can be adjusted from 0.1 - 0.4 m/sec.
- Integrated, adjustable steam exhaust.
- Hygienic design – easy and quick to clean.
- Service-friendly.
- Two water curtains from above, a water jet from below and additional water nozzles on the sides.
- Throughput function can be set with the touch screen control.
- Automatic regulation of water temperature and water level.
- Water temperature up to 95°C.
- Equipped with ERB 130 infeed rollers and ARB 130 outfeed rollers.

Standard Equipment

- Throughput width – 860 mm – for shrinking continuously fed packages downstream of vacuum packaging machines, thermoforming machines or tubular bag machines.
- Touch screen, 20 programs.
- 20 programs activated. Alphanumeric display.
- Water temperature and belt speed can be programmed.
- Pre-heating function – day and time can be set. Waterproof rating IP65F
- Temperature-controlled control box heating.

Option

- Light barrier for product detection.




Touch Screen Control including pre-heating function.



Two water curtains from above, a water jet from below and additional water nozzles on the sides.

VS 860





Technical Data

Throughput width		860 mm (26")
Max. throughput height		300 mm (11.8")
Basin volume		approx. 330 l
Connection power	VS 860E	60 kW electrically heated
	VS 860D	1 kW steam heated
Belt speed		0.1 - 0.4 m/sec.
Steam requirement	VS 860D	65 kg/h at max. 6 bar (max. 85 psi)
Weight		approx. 550 kg

A	Power supply		D	Water drain	R ¾"
B	Compressed air connection (VS 860D)	R ¼" - Ø 9 mm min. 6 bar	E	Steam exhaust	Ø 165 mm
C	Water supply	R ½" max. 8 bar	F	Steam connection (VS 860D)	R 1"
			G	Overflow (VS 860D)	R ¾"







VIKING
FOOD SOLUTIONS

1300 88 99 51

hello@vikingfoodsolutions.com.au

35 Shirley Way, Epping VIC 3076

9 Mcilwraith Street, Wetherill Park NSW 2164

21 Hoyle Road, Hope Valley WA 6165

27 Beal Street, Meadowbrook QLD 4131

EQUIPPING THE FOOD INDUSTRY TO **GROW**